
TRANSFORMING THE CUSTOMER EXPERIENCE AND FLOW AT THE CHECKOUT

MANNED AND SELF CHECKOUTS



WHO WE ARE

We are one of Europe's leading suppliers of shop concepts, checkouts, lighting systems, fixtures and fittings and shop equipment.

We are a global company, but in everything we do we are local. We are also successful because we are constantly at the cutting edge, working with sustainable solutions and never ceasing to be inquisitive. We are dedicated to the idea of creating the ultimate shopping experience. With control over the entire process, we are able to improve and adapt our offering to your needs and guarantee that we keep our promises.









SCAN&GO



Mobile Self Checkout

MOVEFLOW



INNOVATIVE CHECKOUT SYSTEMS FOR MAXIMUM EFFICIENCY IN FLOW MANAGEMENT



 Traditional conventional checkout layout. Suitable for customers with large amounts of articles.




A smaller area with SCO will attract customers with fewer articles and increase checkout flow and customer value.



An extended SCO area with a belted EXIT Self Checkout will further improve the capacity and choice for the customer.

SHOPPING:



SHOPPING

N° 1 PROXI REVERSE

35 C/H

14C/H

6 TWIN FLOW



THE IDEAL CHECKOUT FOR YOUR RETAIL OUTLET



Futura Plus is the solution with the highest standards of workability, customer interface and options for personalization on the market. A true concentration of strengths, excellent performance and technical innovations stemming from know-how.

RELIABILITY, DESIGN, FUNCTIONALITY, FLEXIBILITY: these are the main keywords of a project that enabled to accomplish a total redesign of the checkout area. Futura Plus is a range of checkouts based on the consideration of the product's whole life cycle, in order to improve quality and user experience. A technological soul and impeccable looks: with Futura Plus innovation is always at your service.



FUTURA: PRODUCT RANGE












EXIT





EXIT





MoveFLOW

CLASSIC

PRODUCT INFORMATION



MoveFLOW is an ideal express checkout in stores or as complementary express checkout in supermarkets,

DIY stores and convenience stores. The system has a small footprint and is very clean and smart, making it easy for staff and shoppers to understand. The MoveFLOW Classic X1 & X2 and MoveFLOW Classic Mini are equipped for card payment application only. Cash payment functionality can be added in a separate standalone cash unit. MoveFLOW Classic is POS independent and fully integrated with ITAB SCO-API interface.

A mix of MoveFLOW, TwinFLOW or EasyFLOW is often recommended to create sufficient capacity for a mixture of basket-to-bag and trolley size sales. MoveFLOW **CLASSIC** X1 & X2 MoveFLOW Classic is designed to work efficient in most basket-to-bag scenarios. Depending on store layout and customer patterns, there is a MoveFLOW Classic version that suits the situation

MoveFLOW **CLASSIC** Mini MoveFLOW Classic Mini with its small footprint is ideal in environments where there is limited space or where average purchases consists of very few items such as convenience stores, kiosks or pharmacies.



MAIN FEATURES MOVEFLOW CLASSIC



Custom Colouring:

MoveFLOW Classic can be delivered in any colour or multiple colours to match every type of customer requirement.



Light Tower:

MoveFLOW Classic can be equipped with various light towers depending on customer requirements. Choose between ITAB's own solutions, or select a different standard solution available on the market.



Card Payment:

MoveFLOW Classic can be equipped with card payment only. Cash payment functionality can be added in a separate standalone cash unit. Integrated cash management is available in the MoveFLOW Modular units (More information available on separate sheet).



Scanner/Scale

MoveFLOW Classic can be equipped with most common scanner/ scale systems available on the market.



Safet

MoveFLOW Classic is equipped with a self-learning scale system that will detect mistakes and attempted theft.



Bag Handling:

MoveFLOW Classic is compatible with bag holders for most bag types and bag sizes.




Shelving Options:

Depending on model, MoveFLOW Classic can be equipped with different shelves configurations such as bag storage etc.


European Version:	MoveFLOW Classic Mini	MoveFLOW Classic X1	MoveFLOW Classic X2
Frequency:	50 Hz	50 Hz	50 Hz
Voltage:	230 VAC +/- 10 %	230 VAC +/- 10 %	230 VAC +/- 10 %
Absolute max power:	740 W +/- 10%	740 W +/- 10%	740 W +/- 10%
Standby	720 W +/- 10%	720 W +/- 10%	720 W +/- 10%
Height:	1365 mm	1365 mm	1365 mm
Width:	795 mm	1347 mm	1775 mm
Deptht:	625 mm	625 mm	625 mm
SCO Weighing range:	5 to 20000 grams	5 to 20000 grams	5 to 20000 grams
SCO Weighing resolution:	1 gram	1 gram	1 gram
Dynamic Weighing range:	5 to 15000 grams	5 to 15000 grams	5 to 15000 grams
Dynamic Weighing resolution:	5 gram	5 gram	5 gram







MEASUREMENT RECOMMENDATIONS



Imola Retail Solutions S.r.l.



MoveFLOW*

MODULAR

PRODUCT INFORMATION



AN IDEAL EXPRESS CHECKOUT MoveFlow is an ideal express checkout in stores or as complementary express checkout in supermarkets, DIY stores and convenience stores.

The system has a small footprint and is very clean and smart, making it easy for staff and shoppers to understand.

The MoveFlow Modular can be

equipped with card payment and integrated cash management. ITAB currently offer two levels of cash management systems with different speed, capacity, simplicity and security levels.

MoveFlow Modular is available in different sizes to meet any store requirement. A mix of MoveFlow, TwinFlow or EasyFlow is often recommended to create sufficient capacity for a mixture of basket-to-bag and trolley size sales.

MoveFLOW MODULAR X1

MoveFlow Modular X1 is designed to work efficient in most basket-to-bag scenarios. The unit is designed for express customers and can thanks to the modular design easily be adapted to customer requirements.

MoveFLOW MODULAR X2

MoveFlow Modular X2 is preferably used in situations where the customer needs more packing space. Thanks to the modular design, the unit can easily be adapted to customer requirements when it comes to storage possibilities and shelf combinations.

MoveFLOW **MODULAR** X0 (Pay station) MoveFlow Modular X0 has an optimized footprint and is used as an express checkout or as a pay station. The MoveFlow Modular X0 can easily be adapted to customer requirements regarding scanner/scale, cash management systems etc.



MAIN FEATURES MOVEFLOW



Custom Colouring:

MoveFLOW Modular can be delivered in any colour or multiple colours to match every type of customer requirement.



Light Tower:

MoveFLOW Modular can be equipped with various light towers depending on customer requirements. Choose between ITAB's own solutions, or select a different standard solution available on the market.



Card Payment:

MoveFLOW Modular can be equipped with several different card or card/ cash solutions to meet every customer requirement (More information on cash management systems available on sepatate sheet).



MoveFLOW Modular can be equipped with most common scanner/scale systems available on the market.



MoveFLOW Modular is equipped with a selflearning scale system that will detect mistakes and attempted theft.



Bag Handling:

MoveFLOW Modular is compatible with bag holders for most bag types and bag sizes.



Shelving Options:

Depending on model, MoveFLOW Modular can be equipped with different shelves configurations such as bag storage etc.

European Version MFM 2.0	MoveFLOW Modular X1:	MoveFLOW Modular X2:	MoveFLOW Modular Pay station:
Frequency:	50 Hz	50 Hz	50 Hz
Voltage:	230 VAC +/- 10 %	230 VAC +/- 10 %	230 VAC +/- 10 %
Absolute maximum power:	740 W +/- 10%	740 W +/- 10%	740 W +/- 10%
Standby:	720 W +/- 10%	720 W +/- 10%	720 W +/- 10%
Height:	1330 mm	1330 mm	1330 mm
Width:	1405 mm	1745 mm	850 mm
Depth:	785 mm	785 mm	785 mm
SCO Weighing range:	5 to 20000 grams	5 to 20000 grams	5 to 20000 grams
SCO Weighing resolution:	1 grams	1 grams	1 grams
Dynamic Weighing range:	5 to 15000 grams	5 to 15000 grams	5 to 15000 grams
Dynamic Weighing resolution:	5 grams	5 grams	5 grams











Α





MEASUREMENT RECOMMENDATIONS



Imola Retail Solutions S.r.l.



MoveFLOW

HYBRID

PRODUCT INFORMATION



Do you want to reduce queuing, minimize staff and give your express customers the option of a convenient checkout? MoveFLOW HYBRID offers the best of both conventional checkout (CCO) and self checkout (SCO).

The situation in the checkout arena can change quickly from low to high load. Therefore it is important to be able to quickly respond to peaks in customer flow.

At times, with few customers the MoveFLOW HYBRID is configured as a Self Checkout and several units can easily be operated by one attendant. The MoveFLOW HYBRID self checkouts can quickly, if necessary, be converted to manned checkouts to increase capacity and service.

The system has a small footprint and is very clean and smart, making it easy for staff and shoppers to understand. The MoveFLOW HYBRID can be equipped with card payment and integrated cash management. ITAB currently offer two levels of cash management systems with different speed, capacity, simplicity and security levels.

All MoveFLOW systems are POS independent and fully integrated with ITAB SCO-API interface.



MAIN FEATURES MOVEFLOW HYBRID



Custom Colouring:

MoveFLOW HYBRID can be delivered in any colour or multiple colours to match every type of customer requirements.



Light Tower:

MoveFLOW HYBRID can be equipped with various light towers depending on customer requirements. Choose between ITAB's own solutions, or select a different standard solution available on the market.



Card Payment:

MoveFLOW HYBRID can be equipped with several different card or card/ cash solutions to meet every customer requirement (More information on cash management systems available on separate sheet).



Scanner/Scale

MoveFlow HYBRID is equipped with scanners and certified scale that works for both self checkout customers and assisted checkout.



Safety:

MoveFLOW HYBRID is equipped with a self-learning scale system that will detect mistakes and attempted theft.



Bag Handling:

MoveFLOW HYBRID is compatible with bag holders for most bag types and bag sizes.





Shelving Options:

Depending on model, MoveFLOW HYBRID can be equipped with different shelves configurations such as bag storage etc.

MEASUREMENT RECOMMENDATIONS

European Version MFM 2.0	MoveFLOW Hybrid
Frequency:	50 Hz
Voltage:	230 VAC +/- 10 %
Absolute maximum power:	740 W +/- 10%
Standby:	720 W +/- 10%
Height:	1330 mm
Width:	1405 mm
Depth:	750 mm
SCO Weighing range:	5 to 20000 grams
SCO Weighing resolution:	1 grams
Dynamic Weighing range:	5 to 15000 grams
Dynamic Weighing resolution:	5 grammes





Imola Retail Solutions S.r.l.



TwinFLOW

PRODUCT INFORMATION



TwinFLOW offers an efficient and complete Self Checkout solution. The TwinFLOW system is built to be as flexible and versatile as possible and at the same time being user friendly for both shopper, staff and service technician. The system offers all the benefits of traditional ITAB basket-tobag systems regarding fraud prevention and self-learning weight security control but also provides additional security by methods of using optical sensors. The TwinFLOW suits both basket and trolley size shoppers and has all features required to handle different kinds of articles.

- Intuitive for customers
- Can handle two customers at the same time
- Trolley customers no longer a problem for SCO
- Double throughput potential

compared to conventional basket-tobag systems

- Additional security features using optical sensors
- ▶ Integrated cash manangement

TwinFLOW **Single Lane** (TFS)
TwinFLOW Single Lane (TFS) can
handle two customers simultaneously
with an optimized footprint. Customer
2 can start scanning while customer 1
is still packing.

TwinFLOW **Dual Lane** (TFD)
TwinFLOW Dual Lane (TFD) can handle
two customers simultaneously and
offers a higher capacity packing
solution.



MAIN FEATURES TWINFLOW



Custom Colouring:

TwinFLOW can be delivered in any colour or multiple colours to match every type of customer requirements.



Right / Left Independent:

The TwinFLOW TFS & TFD is symetrical and can easily be converted to fit the store layout. This means greater flexibility and opportunities to transform the TwinFLOW for future changes.



Card/Cash Payment:

TwinFLOW can be equipped with several different card or card/cash solutions to meet every customer requirement. The Glory CI-10 and OEM cash management systems can be retro fitted.



Integrated Belt Scale:

The integrated belt-scale provides increased security and simplicity. The scale can handle multiple items simultaneously, resulting in increased flexibility, speed and robustness.



Safet


TwinFLOW is equipped with a self-learning scale system that will detect mistakes and attempted theft. It is also equipped with optical sensors for additional security.




2 x Customer Handling:


TwinFLOW is a unique twin-belted solution that is capable of handling two customers with trolley size purchases simultaneously.

European Version	TwinFLOW Single Lane (TFS):	TwinFLOW Dual Lane (TFD):
Frequency:	50 Hz	50 Hz
Voltage:	230 VAC +/- 10 %	230 VAC +/- 10 %
Nominal power (in use):	450 W +/- 10%	450 W +/- 10%
Absolute maximum power:	1180 W +/- 10%	1180 W +/- 10%
Standby (All motors off, rest on):	80 W +/- 10%	80 W +/- 10%
Height:	1440 mm	1440 mm
Width:	700 mm	1180 mm
Length:	4170 mm	3950 mm
SCO Weighing range:	5 to 15000 grams	5 to 15000 grams
SCO Weighing resolution:	5 grams	5 grams





MEASUREMENT RECOMMENDATIONS




Imola Retail Solutions S.r.l.



SCAN&GO

MOBILE SELF CHECKOUT



THE LINK BETWEEN PHYSICAL AND DIGITAL SHOPPING

The Scan&Go app was developed as a safe, manageable self-service alternative to automatic checkouts.

It lets customers scan items directly on their mobile devices as they walk through the aisles and allows them to pay via the app itself: a solution designed to improve the in-store consumer experience as part of a focus on frictionless shopping.

Scan&Go looks to the future of shopping in a way that's secure for retailers by posing strict limitations on fraud and inventory loss.



MAIN FEATURES SCAN & GO



Installation on customers' smartphones is not required:
all they have to do is scan the **QR code**displayed in the store and start shopping



Combined with a solution for **automatic** release of anti-shopliffing tags. Scan&Go plays a crucial role in the new concept of FRICTIONLESS SHOPPING



It works like an e-commerce app. It supports all the most common online payment methods, from credit and debit cards to the latest digital systems



Scan&Go contributes to brand loyalty because it allows the retailer to also deliver **personalized offers** on the consumer's smartphone



Scan&Go boosts sales because it allows retailers to engage in **cross-selling** actions by offering customers related products via the app

Benefits for the Consumer:

- Greater choice & convenience
- Zero waiting time
- Improved customer satisfaction

Benefits for the Retailer:

- Improved throughput in-store
- Brand loyalty
- Greater sales conversion
- Cost saving of space
- Lower operational cost



